Thek to 5/18/19

=> s (4007355 or 4092524)/pn

1 4007355/PN 1 4092524/PN

COMMAND INTERRUPTED

=> s (4007355 or 4092524 or 4298793 or 4367402 or 4539472 or 4625276 or 4642685 or 4677657 or 4746787)/pn

- 1 4007355/PN
- 1 4092524/PN
- 1 4298793/PN
- 1 4367402/PN
- 1 4539472/PN
- 1 4625276/PN
- 1 4642685/PN
- 1 4677657/PN
- 1 4746787/PN
- L1 527
- 9 (4007355 OR 4092524 OR 4298793 OR 4367402 OR 4539472 OR 462

6 OR 4642685 OR 4677657 OR 4746787)/PN

=> d 1- cit

- 1. **4,746,787**, May 24, 1988, IC card with display and card recording and reading device; Shin-ichi Suto, et al., 235/379, 380 [IMAGE AVAILABLE]
- 2. **4,677,657**, Jun. 30, 1987, Voice recording card; Masanori Nagata, et al., 455/558; 235/380, 381; 340/825.34; 379/88.28, 91.01, 144, 357; 380/59; 455/90, 412; 704/201, 270 [IMAGE AVAILABLE]
- 3. 4,642,685, Feb. 10, 1987, Storing data relating to television viewing; Lyn M. Roberts, et al., 348/13; 455/2 [IMAGE AVAILABLE]
- 4. **4,625,276**, Nov. 25, 1986, Data logging and transfer system using portable and resident units; William M. Benton, et al., 705/44; 235/379, 380; 379/91.01, 93.18, 106.02, 144, 148, 357; 705/41; 902/26, 39 [IMAGE AVAILABLE]
- 5. 4,539,472, Sep. 3, 1985, Data processing card system and method of forming same; John J. Poetker, et al., 235/488, 492; 257/679 [IMAGE AVAILABLE]
- 6. 4,367,402, Jan. 4, 1983, System for keeping account of predetermined homogeneous units; Georges Giraud, et al., 235/380, 487, 488, 492 [IMAGE AVAILABLE]
- 7. 4,298,793, Nov. 3, 1981, Portable element for receiving, storing, displaying and outputting digital data, and a reservation device for use in a reservation system; Johannes H. A. M. Melis, et al., 235/487, 488, 492; 345/169 [IMAGE AVAILABLE]
- 8. **4,092,524**, May 30, 1978, Systems for storing and transferring data; Roland Moreno, 235/419, 487; 380/23 [IMAGE AVAILABLE]
- 9. 4,007,355, Feb. 8, 1977, Data-transfer system; Roland Moreno,

- 235/379, 441, 492; 346 25.3; 902/22, 26 [IMAGE AVAILAF

=> s (4749982 or 475.) or 4839504 or 4859837 or 486 or 4874935 or 4960981 or 4988987 or 5019697)/pn

1 4749982/PN

1 4752677/PN

1 4839504/PN

1 4859837/PN

1 4868376/PN

1 4874935/PN

1 4960981/PN

1 4988987/PN

1 5019697/PN

L2 9 (4749982 OR 4752677 OR 4839504 OR 4859837 OR 4868376 OR 487

493

5 OR 4960981 OR 4988987 OR 5019697)/PN

=> d 1- cit

- 1. **5,019,697**, May 28, 1991, Data collection system using memory card; Joel R. Postman, 235/441, 440, 492 [IMAGE AVAILABLE]
- 2. **4,988,987**, Jan. 29, 1991, Keysafe system with timer/calendar features; Philip D. Barrett, et al., 340/825.31; 70/63, 271; 235/382.5 [IMAGE AVAILABLE]
- 3. **4,960,981**, Oct. 2, 1990, Method of and system for electronic funds transfer via facsimile machines; William M. Benton, et al., 705/41, 39, 44; 902/40 [IMAGE AVAILABLE]
- 4. 4,874,935, Oct. 17, 1989, Smart card apparatus and method of programming same; Thomas L. Younger, 235/492, 375, 379 [IMAGE AVAILABLE]
- 5. 4,868,376, Sep. 19, 1989, Intelligent portable interactive personal data system; Arlen R. Lessin, et al., 235/492, 380, 487 [IMAGE AVAILABLE]
- 6. **4,859,837**, Aug. 22, 1989, Portable data carrier incorporating manually presettable processing modes; John W. Halpern, 235/380, 379, 487, 492; 361/681, 684; 364/708.1; 902/26 [IMAGE AVAILABLE]
- 7. 4,839,504, Jun. 13, 1989, IC card system compatible with bank account system; Harumi Nakano, 235/379 [IMAGE AVAILABLE]
- 8. 4,752,677, Jun. 21, 1988, Customer service system for use in IC card system; Harumi Nakano, et al., 235/380 [IMAGE AVAILABLE]
- 9. **4,749,982**, Jun. 7, 1988, Intelligent card; Kenji Rikuna, et al., 340/146.2; 235/380 [IMAGE AVAILABLE]

=> s 5025374/pn

L3 1 5025374/PN

=> d cit

1. **5,025,374**, Jun. 18, 1991, Portable system for choosing pre-operative patient test; Michael Roizen, et al., 600/300; 128/920 [IMAGE AVAILABLE]

4

```
=> s (434/350)/ccls
           102 (434/350)/CCLS
L1
=> s 11 and ((user or customer) (5a) (developer))(1) (gather (5a) information)
        294814 USER
         37597 CUSTOMER
         36716 DEVELOPER
         12525 GATHER
        400969 INFORMATION
             6 ((USER OR CUSTOMER) (5A) (DEVELOPER))(L) (GATHER (5A) INFOR
MAT
             O L1 AND ((USER OR CUSTOMER) (5A) (DEVELOPER))(L) (GATHER (5A
L2
) I
               NFORMATION)
=> s 11 and ((user or customer) (5a) (developer))(1) (gather (5a) data)
        294814 USER
         37597 CUSTOMER
         36716 DEVELOPER
         12525 GATHER
        507334 DATA
             8 ((USER OR CUSTOMER) (5A) (DEVELOPER))(L) (GATHER (5A) DATA)
             O L1 AND ((USER OR CUSTOMER) (5A) (DEVELOPER))(L) (GATHER (5A
L3
) D
               ATA)
=> s ((user or customer) (5a) (developer))(1) (gather (5a) data)
        294814 USER
         37597 CUSTOMER
         36716 DEVELOPER
         12525 GATHER
        507334 DATA
             8 ((USER OR CUSTOMER) (5A) (DEVELOPER))(L) (GATHER (5A) DATA)
L4
=> d 1- cit
```

- 1. 5,819,092, Oct. 6, 1998, Online service development tool with fee setting capabilities; Charles H. Ferguson, et al., 395/701; 705/39 [IMAGE AVAILABLE]
- 2. 5,802,514, Sep. 1, 1998, Automated client/server development tool using drag-and-drop metaphor; Val J. Huber, 707/4; 345/348; 395/701; 707/1, 2, 10, 101, 102, 203, 505, 506, 507, 508 [IMAGE AVAILABLE]
- 3. 5,748,896, May 5, 1998, Remote network administration methods and apparatus; Una T. Daly, et al., 395/200.53, 712; 709/303 [IMAGE AVAILABLE]
- 4. 5,649,200, Jul. 15, 1997, Dynamic rule-based version control system; David B. Leblang, et al., 395/703; 364/222.81, 222.82, DIG.1; 707/203 [IMAGE AVAILABLE]

- 5. 5,574,898, Nov. 12,2996, Dynamic software version. Litor which monitors a process by byide a list of objects that a ccessed; David B. Leblang, et al., 17/1; 364/221.7, 280.6, DIG.1; 17220 [IMAGE AVAILABLE]
- 6. 5,321,610, Jun. 14, 1994, Integrated product for implementing application software and process of developing integrated product for implementing application software; Jud Breslin, 705/9; 364/468.03, 468.06 [IMAGE AVAILABLE]
- 7. 5,119,470, Jun. 2, 1992, Computer based inference engine device and method thereof for integrating backward chaining and forward chaining reasoning; Frederic D. Highland, et al., 706/48, 47 [IMAGE AVAILABLE]
- 8. 4,905,163, Feb. 27, 1990, Intelligent optical navigator dynamic information presentation and navigation system; Sharon R. Garber, et al., 706/55; 364/222.4, 274, 274.3, 274.4, 274.7, 275.1, 275.4, 275.6, 275.7, 275.9, 282.1, 283.1, DIG.1; 706/11 [IMAGE AVAILABLE]
- => s ((user or customer) (5a) (developer))(1) (gather (5a) information)

294814 USER

37597 CUSTOMER

36716 DEVELOPER

12525 GATHER

400969 INFORMATION

L5 6 ((USER OR CUSTOMER) (5A) (DEVELOPER))(L) (GATHER (5A) INFOR MAT

ION)

=> d 1- cit

- 1. 5,883,623, Mar. 16, 1999, System and methods for building spreadsheet applications; Istvan Cseri, 345/335; 707/503 [IMAGE AVAILABLE]
- 2. 5,802,514, Sep. 1, 1998, Automated client/server development tool using drag-and-drop metaphor; Val J. Huber, 707/4; 345/348; 395/701; 707/1, 2, 10, 101, 102, 203, 505, 506, 507, 508 [IMAGE AVAILABLE]
- 3. 5,623,591, Apr. 22, 1997, System and methods for building spreadsheet applications; Istvan Cseri, 345/326; 707/503, 509 [IMAGE AVAILABLE]
- 4. 5,321,610, Jun. 14, 1994, Integrated product for implementing application software and process of developing integrated product for implementing application software; Jud Breslin, 705/9; 364/468.03, 468.05, 468.06 [IMAGE AVAILABLE]
- 5. 5,235,673, Aug. 10, 1993, Enhanced neural network shell for application programs; Shawn M. Austvold, et al., 706/44 [IMAGE AVAILABLE]
- 6. 4,905,163, Feb. 27, 1990, Intelligent optical navigator dynamic information presentation and navigation system; Sharon R. Garber, et al., 706/55; 364/222.4, 274, 274.3, 274.4, 274.7, 275.1, 275.4, 275.6, 275.7, 275.9, 282.1, 283.1, DIG.1; 706/11 [IMAGE AVAILABLE]

```
\Rightarrow s (705/1 or 705/7 or 705/10 or 434/107 or 434/118 or 434/36#)/ccls
           194 705/1/CCLS
           108 705/7/CCLS
                                                    8/11/99
           143 705/10/CCLS
            69 434/107/CCLS
           175 434/118/CCLS
           639 434/36#/CCLS
L1
          1243 (705/1 OR 705/7 OR 705/10 OR 434/107 OR 434/118 OR 434/36#)
/cc
               LS
=> s l1 and (automatic (L) portable (L) access) (L) (customer (8a) developer)
(L) (gather (5a) information)
        276954 AUTOMATIC
         87304 PORTABLE
        311997 ACCESS
         37533 CUSTOMER
         36683 DEVELOPER
         12512 GATHER
        400329 INFORMATION
             O (AUTOMATIC (L) PORTABLE (L) ACCESS) (L) (CUSTOMER (8A) DEVE
LOP
               ER) (L) (GATHER (5A) INFORMATION)
L2
             O L1 AND (AUTOMATIC (L) PORTABLE (L) ACCESS) (L) (CUSTOMER (8
A)
               DEVELOPER) (L) (GATHER (5A) INFORMATION)
=> s 11 and (customer (8a) developer) (L) (gather (5a) information)
         37533 CUSTOMER
         36683 DEVELOPER
         12512 GATHER
        400329 INFORMATION
             1 (CUSTOMER (8A) DEVELOPER) (L) (GATHER (5A) INFORMATION)
             O L1 AND (CUSTOMER (8A) DEVELOPER) (L) (GATHER (5A) INFORMATI
L3
ON)
=> d 1 cit
'L3' HAS NO ANSWERS
           1243 SEA FILE=USPAT (705/1 OR 705/7 OR 705/10 OR 434/107 OR 434
L1
/11
                8 OR 434/36#)/CCLS
              O SEA FILE=USPAT L1 AND (CUSTOMER (8A) DEVELOPER) (L) (GATHE
L3
R (
                5A) INFORMATION)
=> s (customer (8a) developer) (L) (gather (5a) information)
         37533 CUSTOMER
         36683 DEVELOPER
         12512 GATHER
        400329 INFORMATION
             1 (CUSTOMER (8A) DEVELOPER) (L) (GATHER (5A) INFORMATION)
L4
=> d 1 cit '
```

1. 5,802,514, Sep. 1998, Automated client/server velopment tool using drag-and-drop metaphor; Val J. Huber, 707/4; 345/348; 395/701; 707/1, 2, 10, 101, 102, 203, 505, 506, 507, 508 [IMAGE AVAILABLE]

=> d 1 kwic

US PAT NO:

5,802,514 [IMAGE AVAILABLE]

L4: 1 of 1

DETDESC:

DETD(34)

In . . . application design, business rules definition and customization. In the application design cycle (particularly the subject of the present description), the **developer** and the **customer** design the application by drag-and-drop and implement the application using templates. In the business rules definition cycle, the **developer** and the **customer** design and implement the application's business logic. During the customization cycle, the **developer** and the **customer** customize the application's appearance, behavior and business logic if needed. Development steps in accordance with the present development tool contrast. . .